

GENERAL VEHICLE

INFORMATION

2011 CAR

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki	
AVALON								Sedan
3544	4T1	BK3DB	4Dr. Sedan	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U660E 6AT ECT-i	268@6200/ 248@4700	GSX30L-AETGKA	
3554	4T1	BK3DB	4Dr. Sedan Limited	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U660E 6AT ECT-i	268@6200/ 248@4700	GSX30L-AETPKA	

GENERAL VEHICLE

INFORMATION

2011 CAR

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki	
CAMRY								Sedan
2513	JTN 4T1 4T4	BF3EK	4Dr. Sedan Base	2AR-FE, 2.5 Liters, 4-Cyl., Dual VVT-i	EB62 6MT	169@6000/ 167@4100	ASV40L-CEFKA	
2514	JTN 4T1 4T4	BF3EK	4Dr. Sedan Base	2AR-FE, 2.5 Liters, 4-Cyl., Dual VVT-i	U760E 6AT ECT-i	169@6000/ 167@4100	ASV40L-AETNKA ASV40L-CETNKA	
2531	JTN 4T1 4T4	BF3EK	4Dr. Sedan LE	2AR-FE, 2.5 Liters, 4-Cyl., Dual VVT-i	EB62 6MT	169@6000/ 167@4100	ASV40L-CEFKA	
2532	JTN 4T1 4T4	BF3EK	4Dr. Sedan LE	2AR-FE, 2.5 Liters, 4-Cyl., Dual VVT-i	U760E 6AT ECT-i	169@6000/ 167@4100	ASV40L-AETNKA ASV40L-CETNKA	
2540	JTN 4T1 4T4	BF3EK	4Dr. Sedan XLE	2AR-FE, 2.5 Liters, 4-Cyl., Dual VVT-i	U760E 6AT ECT-i	169@6000/ 167@4100	ASV40L-AETGKA ASV40L-CETGKA	
2545	JTN 4T1 4T4	BF3EK	4Dr. Sedan SE	2AR-FE, 2.5 Liters, 4-Cyl., Dual VVT-i	EB62 6MT	179@6000/ 171@4100	ASV40L-CEFSKA	
2546	JTN 4T1 4T4	BF3EK	4Dr. Sedan SE	2AR-FE, 2.5 Liters, 4-Cyl., Dual VVT-i	U760E 6AT ECT-i	179@6000/ 171@4100	ASV40L-CETSKA	
2550	JTN 4T1 4T4	BK3EK	4Dr. Sedan SE	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U660E 6AT ECT-i	268@6200/ 248@4700	GSV40L-CETSKA	
2552	JTN 4T1 4T4	BK3EK	4Dr. Sedan LE	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U660E 6AT ECT-i	268@6200/ 248@4700	GSV40L-AETNKA GSV40L-CETNKA	
2554	JTN 4T1 4T4	BK3EK	4Dr. Sedan XLE	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U660E 6AT ECT-i	268@6200/ 248@4700	GSV40L-AETGKA GSV40L-CETGKA	

GENERAL VEHICLE

INFORMATION

2011 CAR

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki
CAMRY HYBRID							Sedan
2560	JTN 4T1	BB3EK	4Dr. Sedan	2AZ-FXE, 2.4 Liters, 4-Cyl., VVT-i	P311 ECVT	147@6000/ 138@4400	AHV40L-AEXGBA AHV40L-CEXGBA

GENERAL VEHICLE

INFORMATION

2011 CAR

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki
COROLLA							Sedan
1831	JTD 2T1	BU4EE	4Dr. Sedan Base	2ZR-FE, 1.8 Liters, 4-Cyl., Dual VVT-i	C59 5MT	132@6000/ 128@4400	ZRE142L-DEMDKA
1832	JTD 2T1	BU4EE	4Dr. Sedan Base	2ZR-FE, 1.8 Liters, 4-Cyl., Dual VVT-i	U341E 4AT ECT-i	132@6000/ 128@4400	ZRE142L-DEPDKA ZRE142L-AEPDKA
1833	JTD 2T1	BU4EE	4Dr. Sedan S	2ZR-FE, 1.8 Liters, 4-Cyl., Dual VVT-i	C59 5MT	132@6000/ 128@4400	ZRE142L-DEMSKA
1834	JTD 2T1	BU4EE	4Dr. Sedan S	2ZR-FE, 1.8 Liters, 4-Cyl., Dual VVT-i	U341E 4AT ECT-i	132@6000/ 128@4400	ZRE142L-DEPSKA
1838	JTD 2T1	BU4EE	4Dr. Sedan LE	2ZR-FE, 1.8 Liters, 4-Cyl., Dual VVT-i	U341E 4AT ECT-i	132@6000/ 128@4400	ZRE142L-DEPNKA ZRE142L-AEPNKA

GENERAL VEHICLE

INFORMATION

2011 CAR

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower / Max Torque	Japan Model Code Katashiki	
MATRIX								Sedan
2WD								
1931	2T1	KU4EE	5Dr. Sedan Base	2ZR-FE, 1.8 Liters, 4-Cyl., Dual VVT-i	C59 5MT	132@6000/ 128@4400	ZRE142L-DHMDKA	
1932	2T1	KU4EE	5Dr. Sedan Base	2ZR-FE, 1.8 Liters, 4-Cyl., Dual VVT-i	U341E 4AT ECT-i	132@6000/ 128@4400	ZRE142L-DHPDKA	
1933	2T1	KE4EE	5Dr. Sedan S	2AZ-FE, 2.4 Liters, 4-Cyl., VVT-i	E351 5MT	158@6000/ 162@4000	AZE141L-DHMNKA	
1934	2T1	KE4EE	5Dr. Sedan S	2AZ-FE, 2.4 Liters, 4-Cyl., VVT-i	U250E 5AT ECT-i	158@6000/ 162@4000	AZE141L-DHANKA	
4WD								
1938	2T1	LE4EE	5Dr. Sedan S	2AZ-FE, 2.4 Liters, 4-Cyl., VVT-i	U140F 4AT ECT-i	158@6000/ 162@4000	AZE144L-DHPNKA	

GENERAL VEHICLE

INFORMATION

2011 CAR

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki
PRIUS HYBRID							Hatchback
1221	JTD	KN3DU	5Dr. Hatchback L Grade	2ZR-FXE, 1.8 Liters, 4-Cyl., VVT-i	P410 ECVT	98@5200/ 105@4000	ZVW30L-AHXBBA
1223	JTD	KN3DU	5Dr. Hatchback	2ZR-FXE, 1.8 Liters, 4-Cyl., VVT-i	P410 ECVT	98@5200/ 105@4000	ZVW30L-AHXEBA
1225	JTD	KN3DU	5Dr. Hatchback	2ZR-FXE, 1.8 Liters, 4-Cyl., VVT-i	P410 ECVT	98@5200/ 105@4000	ZVW30L-AHXEBA
1227	JTD	KN3DU	5Dr. Hatchback	2ZR-FXE, 1.8 Liters, 4-Cyl., VVT-i	P410 ECVT	98@5200/ 105@4000	ZVW30L-AHXGBA
1229	JTD	KN3DU	5Dr. Hatchback	2ZR-FXE, 1.8 Liters, 4-Cyl., VVT-i	P410 ECVT	98@5200/ 105@4000	ZVW30L-AHXGBA

GENERAL VEHICLE

INFORMATION

2011 CAR

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki
VENZA			Wagon				
2WD							
2810	4T3	ZA3BB	5Dr. Wagon	1AR-FE, 2.7 Liters, 4-Cyl., Dual VVT-i	U760E 6AT ECT-i	182@5800/ 182@4200	AGV10L-AWTGKA
2812	4T3	ZK3BB	5Dr. Wagon	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U660E 6AT ECT-i	268@6200/ 246@4700	GGV10L-AWTGKA
4WD							
2820	4T3	BA3BB	5Dr. Wagon	1AR-FE, 2.7 Liters, 4-Cyl., Dual VVT-i	U760F 6AT ECT-i	182@5800/ 182@4200	AGV15L-AWTGKA
2822	4T3	BK3BB	5Dr. Wagon	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U660F 6AT ECT-i	268@6200/ 246@4700	GGV15L-AWTGKA

GENERAL VEHICLE

INFORMATION

2011 CAR

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki
YARIS			Sedan & Liftback				
1421	JTD	JT4K3	3Dr. Liftback	1NZ-FE, 1.5 Liters, 4-Cyl., VVT-i	C50 5MT	106@6000/ 104@4200	NCP91L-AGMRKA
1422	JTD	JT4K3	3Dr. Liftback	1NZ-FE, 1.5 Liters, 4-Cyl., VVT-i	U340E 4AT ECT	106@6000/ 104@4200	NCP91L-AGPRKA
1441	JTD	BT4K3	4Dr. Sedan	1NZ-FE, 1.5 Liters, 4-Cyl., VVT-i	C50 5MT	106@6000/ 104@4200	NCP93L-BEMRKA
1442	JTD	BT4K3	4Dr. Sedan	1NZ-FE, 1.5 Liters, 4-Cyl., VVT-i	U340E 4AT ECT	106@6000/ 104@4200	NCP93L-BEPRKA
1461	JTD	KT4K3	5Dr. Liftback	1NZ-FE, 1.5 Liters, 4-Cyl., VVT-i	C50 5MT	106@6000/ 104@4200	NCP91L-AHMRKA
1462	JTD	KT4K3	5Dr. Liftback	1NZ-FE, 1.5 Liters, 4-Cyl., VVT-i	U340E 4AT ECT	106@6000/ 104@4200	NCP91L-AHPRKA

GENERAL VEHICLE

INFORMATION

2011 CAR

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki	
SCION iQ								Hatchback
6242	JTN	JJXB0	3Dr. Hatchback	1NR-FE, 1.3 Liters, 4-Cyl., Dual VVT-i	K41B CVT-i	101@6000/ 97@3800	NGJ10L-BGXNGA	

GENERAL VEHICLE

INFORMATION

2011 CAR

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki	
SCION tC								Liftback
6222	JTK	JF5C7	3Dr. Liftback	2AR-FE, 2.5 Liters, 4-Cyl., Dual VVT-i	U760E 6AT	180@6000/ 173@4100	AGT20L-ALTGKA	
6223	JTK	JF5C7	3Dr. Liftback	2AR-FE, 2.5 Liters, 4-Cyl., Dual VVT-i	EB60 6MT	180@6000/ 173@4100	AGT20L-ALFGKA	

GENERAL VEHICLE

INFORMATION

2011 CAR

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki
SCION xB			Hatchback				
6202	JTL	ZE4FE	5Dr. Hatchback	2AZ-FE, 2.4 Liters, 4-Cyl., VVT-i	U241E 4AT	158@6000/ 162@4000	AZE151L-FHPNKA
6203	JTL	ZE4FE	5Dr. Hatchback	2AZ-FE, 2.4 Liters, 4-Cyl., VVT-i	E351 5MT	158@6000/ 162@4000	AZE151L-FHMNKA
6208	JTL	ZE4FE	5Dr. Hatchback	2AZ-FE, 2.4 Liters, 4-Cyl., VVT-i	U241E 4AT	158@6000/ 162@4000	AZE151L-FHPNKA
6209	JTL	ZE4FE	5Dr. Hatchback	2AZ-FE, 2.4 Liters, 4-Cyl., VVT-i	E351 5MT	158@6000/ 162@4000	AZE151L-FHMNKA

GENERAL VEHICLE

INFORMATION

2011 CAR

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki	
SCION xD								Hatchback
6232	JTK	KU4B4	5Dr. Hatchback	2ZR-FE, 1.8 Liters, 4-Cyl., Dual VVT-i	U341E 4AT	128@6000/ 125@4400	ZSP110L-AHPRKA	
6233	JTK	KU4B4	5Dr. Hatchback	2ZR-FE, 1.8 Liters, 4-Cyl., Dual VVT-i	C50 5MT	128@6000/ 125@4400	ZSP110L-AHMRKA	
6238	JTK	KU4B4	5Dr. Hatchback	2ZR-FE, 1.8 Liters, 4-Cyl., Dual VVT-i	U341E 4AT	128@6000/ 125@4400	ZSP110L-AHPRKA	
6239	JTK	KU4B4	5Dr. Hatchback	2ZR-FE, 1.8 Liters, 4-Cyl., Dual VVT-i	C50 5MT	128@6000/ 125@4400	ZSP110L-AHMRKA	

GENERAL VEHICLE

INFORMATION

2011 TRUCK

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki
4RUNNER			Sport Utility Vehicle				
2WD							
8642	JTE	ZU5JR	4Dr. SUV SR5	1GR-FE, 4.0 Liters, V6, Dual VVT-i	A750E 5AT ECT	270@5600/ 278@4400	GRN280L-GKAGKA
8648	JTE	ZU5JR	4Dr. SUV Limited	1GR-FE, 4.0 Liters, V6, Dual VVT-i	A750E 5AT ECT	270@5600/ 278@4400	GRN280L-GKAGKA
4WD							
8664	JTE	BU5JR	4Dr. SUV SR5	1GR-FE, 4.0 Liters, V6, Dual VVT-i	A750F 5AT ECT	270@5600/ 278@4400	GRN285L-GKAGKA
8668	JTE	BU5JR	4Dr. SUV Limited	1GR-FE, 4.0 Liters, V6, Dual VVT-i	A750F 5AT ECT	270@5600/ 278@4400	GRN285L-GKAGKA
8670	JTE	BU5JR	4Dr. SUV Trail	1GR-FE, 4.0 Liters, V6, Dual VVT-i	A750F 5AT ECT	270@5600/ 278@4400	GRN285L-GKAGKA

GENERAL VEHICLE

INFORMATION

2011 TRUCK

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki
FJ CRUISER				Sport Utility Vehicle			
2WD							
4702	JTD	ZU4BF	5Dr. SUV	1GR-FE, 4.0 Liters, V6, Dual VVT-i	A750E 5AT ECT	260@5600/ 271@4400	GSJ10L-GKASKA
4WD							
4703	JTD	BU4BF	5Dr. SUV	1GR-FE, 4.0 Liters, V6, Dual VVT-i	RA61F 6MT	260@5600/ 271@4400	GSJ15L-GKFSKA
4704	JTD	BU4BF	5Dr. SUV	1GR-FE, 4.0 Liters, V6, Dual VVT-i	A750F 5AT ECT	260@5600/ 271@4400	GSJ15L-GKASKA

GENERAL VEHICLE

INFORMATION

2011 TRUCK

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki
HIGHLANDER			Sport Utility Vehicle				
2WD							
6942	5TD	ZA3EH	4Dr. SUV Base	1AR-FE, 2.7 Liters, 4-Cyl., Dual VVT-i	U760E 6AT ECT-i	187@5800/ 186@4100	ASU40L-ARTNKA
6943	5TD	ZA3EH	4Dr. SE	1AR-FE, 2.7 Liters, 4-Cyl., Dual VVT-i	U760E 6AT ECT-i	187@5800/ 186@4100	ASU40L-ARTNKA
6946	5TD	ZK3EH	4Dr. SUV Base	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U151E 5AT ECT-i	270@6200/ 248@4700	GSU40L-ARANKA
6951	5TD	ZK3EH	4Dr. SE	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U151E 5AT ECT-i	270@6200/ 248@4700	GSU40L-ARANKA
6954	5TD	YK3EH	4Dr. SUV Limited	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U151E 5AT ECT-i	270@6200/ 248@4700	GSU40L-ARAGKA

4WD

6948	5TD	BK3EH	4Dr. SUV Base	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U151F 5AT ECT-i	270@6200/ 248@4700	GSU45L-ARANKA
6953	5TD	BK3EH	4Dr. SE	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U151F 5AT ECT-i	270@6200/ 248@4700	GSU45L-ARANKA
6956	5TD	DK3EH	4Dr. SUV Limited	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U151F 5AT ECT-i	270@6200/ 248@4700	GSU45L-ARAGKA

GENERAL VEHICLE

INFORMATION

2011 TRUCK

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki
HIGHLANDER HYBRID				Sport Utility Vehicle			
4WD							
6964	JTE	BC3EH	4Dr. SUV Base	2GR-FXE, 3.5 Liters, V6, VVT-i	P313 ECVT	231@5800/ 215@4800	GVU48L-BRXNKA
6966	JTE	DC3EH	4Dr. SUV Limited	2GR-FXE, 3.5 Liters, V6, VVT-i	P313 ECVT	231@5800/ 215@4800	GVU48L-BRXGKA

GENERAL VEHICLE

INFORMATION

2011 TRUCK

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki
RAV4				Sport Utility Vehicle			
2WD							
4430	JTM 2T3	ZF4DV KF4DV	4Dr. SUV	2AR-FE, 2.5 Liters, 4-Cyl., Dual VVT-i	U241E 4AT ECT	180@6000/ 173@4100	ASA38L-ANPXKA ASA38L-CNPXKA
4431	JTM 2T3	ZK4DV KK4DV	4Dr. SUV	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U151E 5AT ECT	268@6200/ 248@4700	GSA38L-ANAXKA GSA38L-CNAXKA
4440	JTM 2T3	WF4DV	4Dr. SUV Sport	2AR-FE, 2.5 Liters, 4-Cyl., Dual VVT-i	U241E 4AT ECT	180@6000/ 173@4100	ASA38L-ANPSKA ASA38L-CNPSKA
4441	JTM 2T3	WK4DV	4Dr. SUV Sport	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U151E 5AT ECT	268@6200/ 248@4700	GSA38L-ANASKA GSA38L-CNASKA
4450	JTM 2T3	YF4DV XF4DV	4Dr. SUV Limited	2AR-FE, 2.5 Liters, 4-Cyl., Dual VVT-i	U241E 4AT ECT	180@6000/ 173@4100	ASA38L-ANPGKA ASA38L-CNPGKA
4451	JTM 2T3	YK4DV XK4DV	4Dr. SUV Limited	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U151E 5AT ECT	268@6200/ 248@4700	GSA38L-ANAGKA GSA38L-CNAGKA
4WD							
4432	JTM 2T3	BF4DV JF4DV	4Dr. SUV	2AR-FE, 2.5 Liters, 4-Cyl., Dual VVT-i	U140F 4AT ECT	180@6000/ 173@4100	ASA33L-ANPXKA ASA33L-CNPXKA
4433	JTM 2T3	BK4DV JK4DV	4Dr. SUV	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U151F 5AT ECT	268@6200/ 248@4700	GSA33L-ANAXKA GSA33L-CNAXKA
4442	JTM 2T3	RF4DV	4Dr. SUV Sport	2AR-FE, 2.5 Liters, 4-Cyl., Dual VVT-i	U140F 4AT ECT	180@6000/ 173@4100	ASA33L-ANPSKA ASA33L-CNPSKA
4443	JTM 2T3	RK4DV	4Dr. SUV Sport	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U151F 5AT ECT	268@6200/ 248@4700	GSA33L-ANASKA GSA33L-CNASKA
4452	JTM 2T3	DF4DV EF4DV	4Dr. SUV Limited	2AR-FE, 2.5 Liters, 4-Cyl., Dual VVT-i	U140F 4AT ECT	180@6000/ 173@4100	ASA33L-ANPGKA ASA33L-CNPGKA
4453	JTM 2T3	DK4DV EK4DV	4Dr. SUV Limited	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U151F 5AT ECT	268@6200/ 248@4700	GSA33L-ANAGKA GSA33L-CNAGKA

GENERAL VEHICLE

INFORMATION

2011 TRUCK

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki
LAND CRUISER				Sport Utility Vehicle			
4WD							
6156	JTM	HY7AJ	SUV VX	3UR-FE, 5.7 Liters, V8, Dual VVT-i	AB60F 6AT ECT	381@5600/ 401@3600	URJ200L-GNTEKA

GENERAL VEHICLE

INFORMATION

2011 TRUCK

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki
SEQUOIA			Sport Utility Vehicle				
2WD							
7916	5TD	ZM5G1	5Dr. SUV SR5	1UR-FE, 4.6 Liters, V8, Dual VVT-i	A760E 6AT ECT-i	310@5600/ 327@3400	UPK60L-GKTSKA UPK60L-GKTLKA
7917	5TD	ZY5G1	5Dr. SUV SR5	3UR-FE, 5.7 Liters, V8, Dual VVT-i	AB60E 6AT ECT-i	381@5600/ 401@3600	USK60L-GKTSKA
7927	5TD	KY5G1	5Dr. SUV Limited	3UR-FE, 5.7 Liters, V8, Dual VVT-i	AB60E 6AT ECT-i	381@5600/ 401@3600	USK60L-GKTLKA
7931	5TD	YY5G1	5Dr. SUV Platinum	3UR-FE, 5.7 Liters, V8, Dual VVT-i	AB60E 6AT ECT-i	381@5600/ 401@3600	USK60L-GKTZKA
4WD							
7918	5TD	BM5G1	5Dr. SUV SR5	1UR-FE, 4.6 Liters, V8, Dual VVT-i	A760F 6AT ECT-i	310@5600/ 327@3400	UPK65L-GKTSKA UPK65L-GKTLKA
7919	5TD	BY5G1	5Dr. SUV SR5	3UR-FE, 5.7 Liters, V8, Dual VVT-i	AB60F 6AT ECT-i	381@5600/ 401@3600	USK65L-GKTSKA
7929	5TD	JY5G1	5Dr. SUV Limited	3UR-FE, 5.7 Liters, V8, Dual VVT-i	AB60F 6AT ECT-i	381@5600/ 401@3600	USK65L-GKTLKA
7933	5TD	DY5G1	5Dr. SUV Platinum	3UR-FE, 5.7 Liters, V8, Dual VVT-i	AB60F 6AT ECT-i	381@5600/ 401@3600	USK65L-GKTZKA
7940	5TD	BW5G1	5Dr. SUV SR5 FFV	3UR-FBE, 5.7 Liters, V8, Dual VVT-i	AB60F 6AT ECT-i	381@5600/ 401@3600	USK65L-GKTSGA
7942	5TD	JW5G1	5Dr. SUV Limited FFV	3UR-FBE, 5.7 Liters, V8, Dual VVT-i	AB60F 6AT ECT-i	381@5600/ 401@3600	USK65L-GKTLGA
7944	5TD	DW5G1	5Dr. SUV Platinum FFV	3UR-FBE, 5.7 Liters, V8, Dual VVT-i	AB60F 6AT ECT-i	381@5600/ 401@3600	USK65L-GKTZGA

GENERAL VEHICLE

INFORMATION

2011 TRUCK

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki
SIENNA							Van
2WD							
5312	5TD	KA3DC	5Dr. 7 Passenger	1AR-FE, 2.7 Liters, 4-Cyl., Dual VVT-i	U760E 6AT ECT-i	187@5800/ 186@4100	ASL30L-PFTEKA
5314	5TD	KA3DC	5Dr. LE 8 Passenger	1AR-FE, 2.7 Liters, 4-Cyl., Dual VVT-i	U760E 6AT ECT-i	187@5800/ 186@4100	ASL30L-PRTEKA
5328	5TD	ZK3DC	5Dr. 7 Passenger	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U660E 6AT ECT-i	266@6200/ 245@4700	GSL30L-PFTDKA
5335	5TD	KK3DC	5Dr. LE 7 Passenger	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U660E 6AT ECT-i	266@6200/ 245@4700	GSL30L-PFTEKA
5336	5TD	KK3DC	5Dr. LE 7 Passenger	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U660E 6AT ECT-i	266@6200/ 245@4700	GSL30L-PFTEKA
5337	5TD	KK3DC	5Dr. LE Mobility 8 Passenger	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U660E 6AT ECT-i	266@6200/ 245@4700	GSL30L-PFTEKA
5338	5TD	KK3DC	5Dr. LE 8 Passenger	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U660E 6AT ECT-i	266@6200/ 245@4700	GSL30L-PRTEKA
5342	5TD	XK3DC	5Dr. SE 8 Passenger	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U660E 6AT ECT-i	266@6200/ 245@4700	GSL30L-PRTSKA
5345	5TD	YK3DC	5Dr. XLE 7 Passenger	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U660E 6AT ECT-i	266@6200/ 245@4700	GSL30L-PFTQKA
5346	5TD	YK3DC	5Dr. XLE 7 Passenger	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U660E 6AT ECT-i	266@6200/ 245@4700	GSL30L-PFTQKA
5347	5TD	YK3DC	5Dr. XLE Mobility 8 Passenger	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U660E 6AT ECT-i	266@6200/ 245@4700	GSL30L-PFTQKA
5348	5TD	YK3DC	5Dr. XLE 8 Passenger	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U660E 6AT ECT-i	266@6200/ 245@4700	GSL30L-PRTQKA
5356	5TD	YK3DC	5Dr. Limited 7 Passenger	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U660E 6AT ECT-i	266@6200/ 245@4700	GSL30L-PFTQKA
4WD							
5366	5TD	JK3DC	5Dr. LE 7 Passenger	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U660F 6AT ECT-i	266@6200/ 245@4700	GSL35L-PFTEKA
5376	5TD	DK3DC	5Dr. XLE 7 Passenger	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U660F 6AT ECT-i	266@6200/ 245@4700	GSL35L-PFTQKA
5386	5TD	DK3DC	5Dr. Limited 7 Passenger	2GR-FE, 3.5 Liters, V6, Dual VVT-i	U660F 6AT ECT-i	266@6200/ 245@4700	GSL35L-PFTQKA

GENERAL VEHICLE

INFORMATION

2011 TRUCK

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki
TACOMA							Truck
2WD							
7103	3TM 5TF	NX4CN	Cab Base	2TR-FE, 2.7 Liters, 4-Cyl., VVT-i	R155 5MT	159@5200/ 180@3800	TRN220L-TRMDKA
7104	3TM 5TF	NX4CN	Cab Base	2TR-FE, 2.7 Liters, 4-Cyl., VVT-i	A340E 4AT ECT	159@5200/ 180@3800	TRN220L-TRPDKA
7113	3TM 5TF	TX4CN	Cab Access	2TR-FE, 2.7 Liters, 4-Cyl., VVT-i	R155 5MT	159@5200/ 180@3800	TRN225L-CRMDKA
7114	3TM 5TF	TX4CN	Cab Access	2TR-FE, 2.7 Liters, 4-Cyl., VVT-i	A340E 4AT ECT	159@5200/ 180@3800	TRN225L-CRPDKA
2WD X-Runner							
7153	3TM 5TF	TU4CN	Cab Access	1GR-FE, 4.0 Liters, V6, VVT-i	RA60 6MT	236@5200/ 266@4000	GRN225L-CRFDKA
2WD PreRunner							
7162	3TM 5TF	TX4GN	Cab Access	2TR-FE, 2.7 Liters, 4-Cyl., VVT-i	A340E 4AT ECT	159@5200/ 180@3800	TRN265L-CRPDKA
7164	3TM 5TF	TU4GN	Cab Access	1GR-FE, 4.0 Liters, V6, VVT-i	A750E 5AT ECT	236@5200/ 266@4000	GRN265L-CRADKA
7182	3TM 5TF	JX4CN	Cab Double	2TR-FE, 2.7 Liters, 4-Cyl., VVT-i	A340E 4AT ECT	159@5200/ 180@3800	TRN225L-PRPDKA
7186	3TM 5TF	JX4GN	Cab Double	2TR-FE, 2.7 Liters, 4-Cyl., VVT-i	A340E 4AT ECT	159@5200/ 180@3800	TRN265L-PRPDKA
7188	3TM 5TF	JU4GN	Cab Double	1GR-FE, 4.0 Liters, V6, VVT-i	A750E 5AT ECT	236@5200/ 266@4000	GRN265L-PRADKA
7190	3TM 5TF	KU4HN	Cab Double Long Bed	1GR-FE, 4.0 Liters, V6, VVT-i	A750E 5AT ECT	236@5200/ 266@4000	GRN270L-PRADKA
4WD							
7503	3TM 5TF	PX4EN	Cab Base	2TR-FE, 2.7 Liters, 4-Cyl., VVT-i	R155F 5MT	159@5200/ 180@3800	TRN240L-TRMDKA
7504	3TM 5TF	PX4EN	Cab Base	2TR-FE, 2.7 Liters, 4-Cyl., VVT-i	A340F 4AT ECT	159@5200/ 180@3800	TRN240L-TRPDKA
7513	3TM 5TF	UX4EN	Cab Access	2TR-FE, 2.7 Liters, 4-Cyl., VVT-i	R155F 5MT	159@5200/ 180@3800	TRN245L-CRMDKA
7514	3TM 5TF	UX4EN	Cab Access	2TR-FE, 2.7 Liters, 4-Cyl., VVT-i	A340F 4AT ECT	159@5200/ 180@3800	TRN245L-CRPDKA
7553	3TM 5TF	UU4EN	Cab Access	1GR-FE, 4.0 Liters, V6, VVT-i	RA60F 6MT	236@5200/ 266@4000	GRN245L-CRFDKA
7554	3TM 5TF	UU4EN	Cab Access	1GR-FE, 4.0 Liters, V6, VVT-i	A750F 5AT ECT	236@5200/ 266@4000	GRN245L-CRADKA

GENERAL VEHICLE

INFORMATION

2011 TRUCK

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki
TACOMA							Truck
7593	3TM 5TF	LU4EN	Cab Double	1GR-FE, 4.0 Liters, V6, VVT-i	RA60F 6MT	236@5200/ 266@4000	GRN245L-PRFDKA
7594	3TM 5TF	LU4EN	Cab Double	1GR-FE, 4.0 Liters, V6, VVT-i	A750F 5AT ECT	236@5200/ 266@4000	GRN245L-PRADKA
7596	3TM 5TF	MU4FN	Cab Double Long Bed	1GR-FE, 4.0 Liters, V6, VVT-i	A750F 5AT ECT	236@5200/ 266@4000	GRN250L-PRADKA

GENERAL VEHICLE

INFORMATION

2011 TRUCK

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki
TUNDRA							Truck
2WD							
8202	5TF	JU5F1	Reg. Cab Tundra Grade	1GR-FE, 4.0 Liters, V6, Dual VVT-i	A750E 5AT ECT-i	270@5600/ 278@4400	GSK50L-TRADKA
8204	5TF	LU5F1	Reg. Cab Tundra Grade	1GR-FE, 4.0 Liters, V6, Dual VVT-i	A750E 5AT ECT-i	270@5600/ 278@4400	GSK51L-THADKA
8215	5TF	RU5F1	Dbl. Cab Tundra Grade	1GR-FE, 4.0 Liters, V6, Dual VVT-i	A750E 5AT ECT-i	270@5600/ 278@4400	GSK51L-CRASKA
8222	5TF	JM5F1	Reg. Cab Tundra Grade	1UR-FE, 4.6 Liters, V8, Dual VVT-i	A760E 6AT ECT-i	310@5600/ 327@3400	UPK50L-TRTDKA
8228	5TF	LY5F1	Reg. Cab Tundra Grade	3UR-FE, 5.7 Liters, V8, Dual VVT-i	AB60E 6AT ECT-i	381@5600/ 401@3600	USK51L-THTDKA
8239	5TF	RM5F1	Dbl. Cab Tundra Grade	1UR-FE, 4.6 Liters, V8, Dual VVT-i	A760E 6AT ECT-i	310@5600/ 327@3400	UPK51L-CRTSKA
8241	5TF	RY5F1	Dbl. Cab Tundra Grade	3UR-FE, 5.7 Liters, V8, Dual VVT-i	AB60E 6AT ECT-i	381@5600/ 401@3600	USK51L-CRTSKA
8245	5TF	TY5F1	Dbl. Cab Tundra Grade	3UR-FE, 5.7 Liters, V8, Dual VVT-i	AB60E 6AT ECT-i	381@5600/ 401@3600	USK52L-CHTSKA
8252	5TF	SY5F1	Dbl. Cab Limited	3UR-FE, 5.7 Liters, V8, Dual VVT-i	AB60E 6AT ECT-i	381@5600/ 401@3600	USK51L-CRTLKA
8259	5TF	EM5F1	CrewMax Tundra Grade	1UR-FE, 4.6 Liters, V8, Dual VVT-i	A760E 6AT ECT-i	310@5600/ 327@3400	UPK51L-PSTSKA
8261	5TF	EY5F1	CrewMax Tundra Grade	3UR-FE, 5.7 Liters, V8, Dual VVT-i	AB60E 6AT ECT-i	381@5600/ 401@3600	USK51L-PSTSKA
8272	5TF	FY5F1	CrewMax Limited	3UR-FE, 5.7 Liters, V8, Dual VVT-i	AB60E 6AT ECT-i	381@5600/ 401@3600	USK51L-PSTLKA
4WD							
8323	5TF	KW5F1	Reg. Cab Tundra Grade	3UR-FBE, 5.7 Liters, V8, Dual VVT-i	AB60F 6AT ECT-i	381@5600/ 401@3600	USK55L-TRTDGA
8324	5TF	KY5F1	Reg. Cab Tundra Grade	3UR-FE, 5.7 Liters, V8, Dual VVT-i	AB60F 6AT ECT-i	381@5600/ 401@3600	USK55L-TRTDKA
8327	5TF	MW5F1	Reg. Cab Tundra Grade	3UR-FBE, 5.7 Liters, V8, Dual VVT-i	AB60F 6AT ECT-i	381@5600/ 401@3600	USK56L-THTDGA
8328	5TF	MY5F1	Reg. Cab Tundra Grade	3UR-FE, 5.7 Liters, V8, Dual VVT-i	AB60F 6AT ECT-i	381@5600/ 401@3600	USK56L-THTDKA
8331	5TF	UW5F1	Dbl. Cab Tundra Grade	3UR-FBE, 5.7 Liters, V8, Dual VVT-i	AB60F 6AT ECT-i	381@5600/ 401@3600	USK56L-CRTSGA
8335	5TF	CW5F1	Dbl. Cab Tundra Grade	3UR-FBE, 5.7 Liters, V8, Dual VVT-i	AB60F 6AT ECT-i	381@5600/ 401@3600	USK57L-CHTSGA
8339	5TF	UM5F1	Dbl. Cab Tundra Grade	1UR-FE, 4.6 Liters, V8, Dual VVT-i	A760F 6AT ECT-i	310@5600/ 327@3400	UPK56L-CRTSKA

GENERAL VEHICLE

INFORMATION

2011 TRUCK

USA Model	WMI	V.D.S.	Body Style	Engine Description	Trans Description	Maximum Horsepower/ Max Torque	Japan Model Code Katashiki
TUNDRA							Truck
8341	5TF	UY5F1	Dbl. Cab Tundra Grade	3UR-FE, 5.7 Liters, V8, Dual VVT-i	AB60F 6AT ECT-i	381@5600/ 401@3600	USK56L-CRTSKA
8345	5TF	CY5F1	Dbl. Cab Tundra Grade	3UR-FE, 5.7 Liters, V8, Dual VVT-i	AB60F 6AT ECT-i	381@5600/ 401@3600	USK57L-CHTSKA
8352	5TF	BY5F1	Dbl. Cab Limited	3UR-FE, 5.7 Liters, V8, Dual VVT-i	AB60F 6AT ECT-i	381@5600/ 401@3600	USK56L-CRTLKA
8354	5TF	BW5F1	Dbl. Cab Limited	3UR-FBE, 5.7 Liters, V8, Dual VVT-i	AB60F 6AT ECT-i	381@5600/ 401@3600	USK56L-CRTLGA
8359	5TF	DM5F1	CrewMax Tundra Grade	1UR-FE, 4.6 Liters, V8, Dual VVT-i	A760F 6AT ECT-i	310@5600/ 327@3400	UPK56L-PSTSKA
8361	5TF	DY5F1	CrewMax Tundra Grade	3UR-FE, 5.7 Liters, V8, Dual VVT-i	AB60F 6AT ECT-i	381@5600/ 401@3600	USK56L-PSTSKA
8363	5TF	DW5F1	CrewMax Tundra Grade	3UR-FBE, 5.7 Liters, V8, Dual VVT-i	AB60F 6AT ECT-i	381@5600/ 401@3600	USK56L-PSTSGA
8372	5TF	HY5F1	CrewMax Limited	3UR-FE, 5.7 Liters, V8, Dual VVT-i	AB60F 6AT ECT-i	381@5600/ 401@3600	USK56L-PSTLKA
8374	5TF	HW5F1	CrewMax Limited	3UR-FBE, 5.7 Liters, V8, Dual VVT-i	AB60F 6AT ECT-i	381@5600/ 401@3600	USK56L-PSTLGA