

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 CAR

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
AVALON							Sedan
3544	4Dr. Sedan	V6	6AT ECT-i	3,571	----	----	Towing Not Recommended
3554	4Dr. Sedan Limited	V6	6AT ECT-i	3,616	----	----	Towing Not Recommended

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 CAR

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
CAMRY HYBRID							Sedan
2560	4Dr. Sedan	4 Cyl.	ECVT	3,638	----	----	Towing Not Recommended

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 CAR

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
CAMRY							Sedan
2513	4Dr. Sedan Base	4 Cyl.	6MT	3,263(TMMK)	100	1,000	
2514	4Dr. Sedan Base	4 Cyl.	6AT ECT-i	3,285(TMC) 3,307(TMMK)	100	1,000	
2531	4Dr. Sedan LE	4 Cyl.	6MT	3,263(TMMK)	100	1,000	
2532	4Dr. Sedan LE	4 Cyl.	6AT ECT-i	3,285(TMC) 3,307(TMMK)	100	1,000	
2540	4Dr. Sedan XLE	4 Cyl.	6AT ECT-i	3,340(TMC) 3,373(TMMK)	100	1,000	
2545	4Dr. Sedan SE	4 Cyl.	6MT	3,285(TMMK)	100	1,000	
2546	4Dr. Sedan SE	4 Cyl.	6AT ECT-i	3,351(TMMK)	100	1,000	
2550	4Dr. Sedan SE	V6	6AT ECT-i	3,483(TMMK)	100	1,000	
2552	4Dr. Sedan LE	V6	6AT ECT-i	3,439(TMC) 3,461(TMMK)	100	1,000	
2554	4Dr. Sedan XLE	V6	6AT ECT-i	3,494(TMC) 3,516(TMMK)	100	1,000	

Contact your Toyota dealer for further information about additional requirements such as a towing kits, etc.

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 CAR

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
COROLLA							Sedan
1831	4Dr. Sedan Base	4 Cyl.	5MT	2,734	----	----	
1832	4Dr. Sedan Base	4 Cyl.	4AT ECT-i	2,767	----	----	
1833	4Dr. Sedan S	4 Cyl.	5MT	2,767	----	----	
1834	4Dr. Sedan S	4 Cyl.	4AT ECT-i	2,800	----	----	Towing Not Recommended
1838	4Dr. Sedan LE	4 Cyl.	4AT ECT-i	2,800	----	----	

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 CAR

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
MATRIX							Sedan
2WD							
1931	5Dr. Sedan Base	4 Cyl.	5MT	2,844	----	----	Towing Not Recommended*1/ Over 1,000 lbs. Requires Trailer Brakes*2
1932	5Dr. Sedan Base	4 Cyl.	4AT ECT-i	2,888	----	----	
1933	5Dr. Sedan S	4 Cyl.	5MT	2,976	150	1,500	
1934	5Dr. Sedan S	4 Cyl.	5AT ECT-i	3,053	150	1,500	
4WD							
1938	5Dr. Sedan S	4 Cyl.	4AT ECT-i	3,274	150	1,500	

*1: USA Model 1931, 1932
*2: USA Model 1933, 1934, 1938

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 CAR

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
PRIUS HYBRID							Hatchback
1221	5Dr. Hatchback L Grade	4 Cyl.	ECVT	3,042	----	----	
1223	5Dr. Hatchback	4 Cyl.	ECVT	3,042	----	----	
1225	5Dr. Hatchback	4 Cyl.	ECVT	3,042	----	----	Towing Not Recommended
1227	5Dr. Hatchback	4 Cyl.	ECVT	3,042	----	----	
1229	5Dr. Hatchback	4 Cyl.	ECVT	3,042	----	----	

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 CAR

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
VENZA							Wagon
2WD							
2810	5Dr. Wagon	4 Cyl.	6AT ECT-i	3,759	100/ 250*	1,000/ 2,500*	
2812	5Dr. Wagon	V6	6AT ECT-i	3,869	100/ 350*	1,000/ 3,500*	Over 1,000 lbs. Requires Trailer Brakes
4WD							
2820	5Dr. Wagon	4 Cyl.	6AT ECT-i	3,946	100/ 250*	1,000/ 2,500*	Over 2,000 lbs. Requires Sway Control
2822	5Dr. Wagon	V6	6AT ECT-i	4,045	100/ 350*	1,000/ 3,500*	

* With Optional Towing Package

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 CAR

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
YARIS		Sedan & Liftback					
1421	3Dr. Liftback	4 Cyl.	5MT	2,293	----	----	
1422	3Dr. Liftback	4 Cyl.	4AT ECT	2,337	----	----	
1441	4Dr. Sedan	4 Cyl.	5MT	2,293	----	----	
1442	4Dr. Sedan	4 Cyl.	4AT ECT	2,326	----	----	Towing Not Recommended
1461	5Dr. Liftback	4 Cyl.	5MT	2,304	----	----	
1462	5Dr. Liftback	4 Cyl.	4AT ECT	2,348	----	----	

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 CAR

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
SCION iQ							Hatchback
6242	3Dr. Hatchback	4 Cyl.	CVT-i				

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 CAR

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
SCION tC							Liftback
6222	3Dr. Liftback	4 Cyl.	6AT	3,102	----	----	Towing Not Recommended
6223	3Dr. Liftback	4 Cyl.	6MT	3,060	----	----	Towing Not Recommended

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 CAR

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
SCION xB							Hatchback
6202	5Dr. Hatchback	4 Cyl.	4AT	3,086	----	----	
6203	5Dr. Hatchback	4 Cyl.	5MT	3,020	----	----	Towing Not Recommended
6208	5Dr. Hatchback	4 Cyl.	4AT	3,086	----	----	
6209	5Dr. Hatchback	4 Cyl.	5MT	3,020	----	----	

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 CAR

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
SCION xD							Hatchback
6232	5Dr. Hatchback	4 Cyl.	4AT	2,668	----	----	
6233	5Dr. Hatchback	4 Cyl.	5MT	2,623	----	----	Towing Not Recommended
6238	5Dr. Hatchback	4 Cyl.	4AT	2,668	----	----	
6239	5Dr. Hatchback	4 Cyl.	5MT	2,623	----	----	

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 TRUCK

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
4RUNNER				Sport Utility Vehicle			
2WD							
8642	4Dr. SUV SR5	V6	5AT ECT	4,343	500	5,000	
8648	4Dr. SUV Limited	V6	5AT ECT	4,365	500	5,000	
4WD							
8664	4Dr. SUV SR5	V6	5AT ECT	4,619	500	5,000	
8668	4Dr. SUV Limited	V6	5AT ECT	4,641	500	5,000	
8670	4Dr. SUV Trail	V6	5AT ECT	4,707	500	5,000	

Over 1,000 lbs.
Requires Trailer
Brakes
Over 2,000 lbs.
Requires Sway
Control

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 TRUCK

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment	
FJ CRUISER		Sport Utility Vehicle						
2WD								
4702	5Dr. SUV	V6	5AT ECT	4,079	500	5,000	Over 1,000 lbs. Requires Trailer Brakes Over 2,000 lbs. Requires Sway Control	
4WD								
4703	5Dr. SUV	V6	6MT	4,332	500	5,000		
4704	5Dr. SUV	V6	5AT ECT	4,343	500	5,000		

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 TRUCK

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
HIGHLANDER HYBRID				Sport Utility Vehicle			
4WD							
6964	4Dr. SUV Base	V6	ECVT	4,641	350	3,500	Over 1,000 lbs. Requires Trailer Brakes Over 2,000 lbs. Requires Sway Control
6966	4Dr. SUV Limited	V6	ECVT	4,762	350	3,500	

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 TRUCK

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
HIGHLANDER				Sport Utility Vehicle			
					Std/Opt	Std/Opt	
2WD							
6942	4Dr. SUV Base	4 Cyl.	6AT ECT-i	3,847	150/ 350*	1,500/ 3,500*	
6943	4Dr. SE	4 Cyl.	6AT ECT-i	3,847	150/ 350*	1,500/ 3,500*	
6946	4Dr. SUV Base	V6	5AT ECT-i	3,979	200/ 500*	2,000/ 5,000*	
6951	4Dr. SE	V6	5AT ECT-i	3,979	200/ 500*	2,000/ 5,000*	
6954	4Dr. SUV Limited	V6	5AT ECT-i	4,112	200/ 500*	2,000/ 5,000*	Over 1,000 lbs. Requires Trailer Brakes Over 2,000 lbs. Requires Sway Control
4WD							
6948	4Dr. SUV Base	V6	5AT ECT-i	4,178	200/ 500*	2,000/ 5,000*	
6953	4Dr. SE	V6	5AT ECT-i	4,178	200/ 500*	2,000/ 5,000*	
6956	4Dr. SUV Limited	V6	5AT ECT-i	4,321	200/ 500*	2,000/ 5,000*	

* With Optional Towing Package

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 TRUCK

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
LAND CRUISER				Sport Utility Vehicle			
4WD							
6156	SUV VX	V8	6AT ECT	5,688	820	8,200	Over 1,000 lbs. Requires Trailer Brakes Over 2,000 lbs. Requires Sway Control Over 5,000 lbs. Requires Weight Distributing Hitch

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 TRUCK

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
RAV4					Sport Utility Vehicle		
					Std/Opt	Std/Opt	
2WD							
4430	4Dr. SUV	4 Cyl.	4AT ECT	3,351	150/ ----	1,500/ ----	
4431	4Dr. SUV	V6	5AT ECT	3,527	200/ 350*	2,000/ 3,500*	
4440	4Dr. SUV Sport	4 Cyl.	4AT ECT	3,428	150/ ----	1,500/ ----	
4441	4Dr. SUV Sport	V6	5AT ECT	3,560	200/ 350*	2,000/ 3,500*	
4450	4Dr. SUV Limited	4 Cyl.	4AT ECT	3,428	150/ ----	1,500/ ----	
4451	4Dr. SUV Limited	V6	5AT ECT	3,560	200/ 350*	2,000/ 3,500*	
4WD							
4432	4Dr. SUV	4 Cyl.	4AT ECT	3,494	150/ ----	1,500/ ----	
4433	4Dr. SUV	V6	5AT ECT	3,671	200/ 350*	2,000/ 3,500*	
4442	4Dr. SUV Sport	4 Cyl.	4AT ECT	3,571	150/ ----	1,500/ ----	
4443	4Dr. SUV Sport	V6	5AT ECT	3,704	200/ 350*	2,000/ 3,500*	
4452	4Dr. SUV Limited	4 Cyl.	4AT ECT	3,571	150/ ----	1,500/ ----	
4453	4Dr. SUV Limited	V6	5AT ECT	3,704	200/ 350*	2,000/ 3,500*	

Over 600 lbs.
Requires Trailer
Brakes
Over 2,000 lbs.
Requires Sway
Control

* With Optional Towing Package

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 TRUCK

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
SEQUOIA				Sport Utility Vehicle			
2WD							
7916	5Dr. SUV SR5	V8	6AT ECT-i	5,670*1 5,690*2	690*1 680*2	6,900*1 6,800*2	
7917	5Dr. SUV SR5	V8	6AT ECT-i	5,730	740	7,400	
7927	5Dr. SUV Limited	V8	6AT ECT-i	5,730	730	7,300	
7931	5Dr. SUV Platinum	V8	6AT ECT-i	5,750	720	7,200	
4WD							
7918	5Dr. SUV SR5	V8	6AT ECT-i	5,970*1 5,975*2	660*1, 2	6,600*1, 2	
7919	5Dr. SUV SR5	V8	6AT ECT-i	5,985	710	7,100	
7929	5Dr. SUV Limited	V8	6AT ECT-i	5,985	710	7,100	
7933	5Dr. SUV Platinum	V8	6AT ECT-i	6,000	700	7,000	
7940	5Dr. SUV SR5 FFV	V8	6AT ECT-i	5,985	710	7,100	
7942	5Dr. SUV Limited FFV	V8	6AT ECT-i	5,985	710	7,100	
7944	5Dr. SUV Platinum FFV	V8	6AT ECT-i	6,000	700	7,000	
					*1: UPK6#L-GKTSKA		
					*2: UPK6#L-GKTLKA		

Over 1,000 lbs.
Requires Trailer
Brakes
Over 2,000 lbs.
Requires Sway
Control
Over 5,000 lbs.
Requires
Weight
Distributing
Hitch

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 TRUCK

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
SIENNA							Van
					Std/Opt	Std/Opt	
2WD							
5312	5Dr. 7 Passenger	4 Cyl.	6AT ECT-i	4,189	100/ ----	1,000/ ----	
5314	5Dr. LE 8 Passenger	4 Cyl.	6AT ECT-i	4,222	100/ ----	1,000/ ----	
5328	5Dr. 7 Passenger	V6	6AT ECT-i	4,277	150/ 350*	1,500/ 3,500*	
5335	5Dr. LE 7 Passenger	V6	6AT ECT-i	4,299	150/ 350*	1,500/ 3,500*	
5336	5Dr. LE 7 Passenger	V6	6AT ECT-i	4,299	150/ 350*	1,500/ 3,500*	
5337	5Dr. LE Mobility 8 Passenger	V6	6AT ECT-i	4,299	150/ 350*	1,500/ 3,500*	
5338	5Dr. LE 8 Passenger	V6	6AT ECT-i	4,332	150/ 350*	1,500/ 3,500*	
5342	5Dr. SE 8 Passenger	V6	6AT ECT-i	4,376	150/ 350*	1,500/ 3,500*	Over 1,000 lbs. Requires Trailer Brakes
5345	5Dr. XLE 7 Passenger	V6	6AT ECT-i	4,431	150/ 350*	1,500/ 3,500*	Over 2,000 lbs. Requires Sway Control
5346	5Dr. XLE 7 Passenger	V6	6AT ECT-i	4,431	150/ 350*	1,500/ 3,500*	
5347	5Dr. XLE Mobility 8 Passenger	V6	6AT ECT-i	4,431	150/ 350*	1,500/ 3,500*	
5348	5Dr. XLE 8 Passenger	V6	6AT ECT-i	4,453	150/ 350*	1,500/ 3,500*	
5356	5Dr. Limited 7 Passenger	V6	6AT ECT-i	4,431	150/ 350*	1,500/ 3,500*	
4WD							
5366	5Dr. LE 7 Passenger	V6	6AT ECT-i	4,508	150/ 350*	1,500/ 3,500*	
5376	5Dr. XLE 7 Passenger	V6	6AT ECT-i	4,663	150/ 350*	1,500/ 3,500*	
5386	5Dr. Limited 7 Passenger	V6	6AT ECT-i	4,663	150/ 350*	1,500/ 3,500*	

* With Optional Towing Package

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 TRUCK

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
TACOMA							Truck
					Std/Opt	Std/Opt	
2WD							
7103	Cab Base	4 Cyl.	5MT	3,250	350/ ----	3,500/ ----	
7104	Cab Base	4 Cyl.	4AT ECT	3,270	350/ ----	3,500/ ----	
7113	Cab Access	4 Cyl.	5MT	3,560	350/ ----	3,500/ ----	
7114	Cab Access	4 Cyl.	4AT ECT	3,580	350/ ----	3,500/ ----	
2WD X-Runner							
7153	Cab Access	V6	6MT	3,820	330/ ----	3,300/ ----	
2WD PreRunner							
7162	Cab Access	4 Cyl.	4AT ECT	3,740	350/ ----	3,500/ ----	Over 1,000 lbs. Requires Trailer Brakes
7164	Cab Access	V6	5AT ECT	3,835	350/ 650*	3,500/ 6,500*	Over 2,000 lbs. Requires Sway Control
7182	Cab Double	4 Cyl.	4AT ECT	3,665	340/ ----	3,400/ ----	Over 5,000 lbs. Requires Weight Distributing Hitch
7186	Cab Double	4 Cyl.	4AT ECT	3,825	350/ ----	3,500/ ----	
7188	Cab Double	V6	5AT ECT	3,940	350/ 650*	3,500/ 6,500*	
7190	Cab Double Long Bed	V6	5AT ECT	3,975	350/ 650*	3,500/ 6,500*	
4WD							
7503	Cab Base	4 Cyl.	5MT	3,665	350/ ----	3,500/ ----	
7504	Cab Base	4 Cyl.	4AT ECT	3,665	350/ ----	3,500/ ----	
7513	Cab Access	4 Cyl.	5MT	3,955	350/ ----	3,500/ ----	
7514	Cab Access	4 Cyl.	4AT ECT	3,975	350/ ----	3,500/ ----	
7553	Cab Access	V6	6MT	4,045	350/ 650*	3,500/ 6,500*	

* With Optional Towing Package

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 TRUCK

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
TACOMA							Truck
					Std/Opt	Std/Opt	
7554	Cab Access	V6	5AT ECT	4,070	350/ 650*	3,500/ 6,500*	Over 1,000 lbs. Requires Trailer Brakes
7593	Cab Double	V6	6MT	4,130	350/ 650*	3,500/ 6,500*	Over 2,000 lbs. Requires Sway Control
7594	Cab Double	V6	5AT ECT	4,155	350/ 640*	3,500/ 6,400*	Over 5,000 lbs. Requires Weight Distributing Hitch
7596	Cab Double Long Bed	V6	5AT ECT	4,190	350/ 630*	3,500/ 6,300*	

* With Optional Towing Package

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 TRUCK

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
TUNDRA							Truck
					Std/Opt	Std/Opt	
2WD							
8202	Reg. Cab Tundra Grade	V6	5AT ECT-i	4,580	490/ ----	4,900/ ----	
8204	Reg. Cab Tundra Grade	V6	5AT ECT-i	4,685	480/ ----	4,800/ ----	
8215	Dbl. Cab Tundra Grade	V6	5AT ECT-i	4,950	450/ ----	4,500/ ----	
8222	Reg. Cab Tundra Grade	V8	6AT ECT-i	4,730	710/ 860*	7,100/ 8,600*	
8228	Reg. Cab Tundra Grade	V8	6AT ECT-i	4,910	840/ 1,040*	8,400/ 10,400*	Over 1,000 lbs. Requires Trailer Brakes
8239	Dbl. Cab Tundra Grade	V8	6AT ECT-i	5,085	670/ 820*	6,700/ 8,200*	Over 2,000 lbs. Requires Sway Control
8241	Dbl. Cab Tundra Grade	V8	6AT ECT-i	5,155	810/ 1010*	8,100/ 10,100*	Over 5,000 lbs. Requires Weight Distributing Hitch
8245	Dbl. Cab Tundra Grade	V8	6AT ECT-i	5,355	1000/ ----	10,000/ ----	
8252	Dbl. Cab Limited	V8	6AT ECT-i	5,180	810/ 1010*	8,100/ 10,100*	
8259	CrewMax Tundra Grade	V8	6AT ECT-i	5,250	660/ 810*	6,600/ 8,100*	
8261	CrewMax Tundra Grade	V8	6AT ECT-i	5,335	800/ 990*	8,000/ 9,900*	
8272	CrewMax Limited	V8	6AT ECT-i	5,355	790/ 930*	7,900/ 9,300*	

* With Optional Towing Package

STANDARD TOWING SPECS

NOTE: ALWAYS CONSULT YOUR OWNER'S MANUAL

2011 TRUCK

USA Model	Body Style	Engine Type	Trans Type	Curb Mass (lbs.)	Max Tongue (lbs.)	Max Trailer (lbs.)	Recommended Equipment
TUNDRA							Truck
					Std/Opt	Std/Opt	
4WD							
8323	Reg. Cab Tundra Grade	V8	6AT ECT-i	5,080	820/ 970*1 920*1, 2	8,200/ 9,700*1 9,200*1, 2	
8324	Reg. Cab Tundra Grade	V8	6AT ECT-i	5,080	820/ 970*1 920*1, 2	8,200/ 9,700*1 9,200*1, 2	
8327	Reg. Cab Tundra Grade	V8	6AT ECT-i	5,180	810/ 1,010*1	8,100/ 10,100*1	
8328	Reg. Cab Tundra Grade	V8	6AT ECT-i	5,180	810/ 1,010*1	8,100/ 10,100*1	
8331	Dbl. Cab Tundra Grade	V8	6AT ECT-i	5,460	780/ 970*1	7,800/ 9,700*1	
8335	Dbl. Cab Tundra Grade	V8	6AT ECT-i	5,660	980/ ----	9,800/ ----	Over 1,000 lbs. Requires Trailer Brakes
8339	Dbl. Cab Tundra Grade	V8	6AT ECT-i	5,385	640/ 790*1	6,400/ 7,900*1	Over 2,000 lbs. Requires Sway Control
8341	Dbl. Cab Tundra Grade	V8	6AT ECT-i	5,460	780/ 970*1	7,800/ 9,700*1	Over 5,000 lbs. Requires Weight Distributing Hitch
8345	Dbl. Cab Tundra Grade	V8	6AT ECT-i	5,660	980/ ----	9,800/ ----	
8352	Dbl. Cab Limited	V8	6AT ECT-i	5,480	780/ 980*1	7,800/ 9,800*1	
8354	Dbl. Cab Limited	V8	6AT ECT-i	5,480	780/ 980*1	7,800/ 9,800*1	
8359	CrewMax Tundra Grade	V8	6AT ECT-i	5,550	620/ 770*1	6,200/ 7,700*1	
8361	CrewMax Tundra Grade	V8	6AT ECT-i	5,625	770/ 900*1	7,700/ 9,000*1	
8363	CrewMax Tundra Grade	V8	6AT ECT-i	5,625	770/ 900*1	7,700/ 9,000*1	
8372	CrewMax Limited	V8	6AT ECT-i	5,645	770/ 900*1	7,700/ 9,000*1	
8374	CrewMax Limited	V8	6AT ECT-i	5,645	770/ 900*1	7,700/ 9,000*1	

*1: With Optional Towing Package
*2: With P275/55R20 Tires